

# RFID Printers

## North America Price List

Effective July 1, 2010



### What's Inside:

**Zebra Technologies International, LLC**  
475 Half Day Road, Suite 500  
Lincolnshire, IL 60069 U.S.A.

Tel: +1 847 793 2600  
+1 800 423 0442  
Fax: +1 847 913 8766  
[www.zebra.com](http://www.zebra.com)

### Product Information

RXi Series (UHF)	1
RXi Series (HF)	2
R110PAX4	3
RZ Series	4
RP4T & Accessories	5-6
RP4T Cables	7-8
R2844-Z Series	9
RFID Printer Acc.	10
RXi and RPAX Fonts	11-12
RZ Series Fonts	13
RFID Region Matrix	14
ZebraCare™ Service	15
Professional Services	16 - 18

Please note, not all printer part numbers on this price list are compliant with the Buy American Act (BAA) or the Trade Agreements Act (TAA). Please refer to Zebra's BAA/TAA Printer price list for a select list of printer part numbers that are BAA/TAA compliant.



**RXi™ Series Price List (UHF)**  
**North America, Latin America and South America**

Prices are in U.S. Dollars. EXW Vernon Hills, IL, USA.  
 Minimum billing for orders is \$50.00 per shipment per location.

**RXi - Configurator (UHF)** Reference Region Availability Matrix for Country availability. **RXi**  
 printers include: RXi User's Guide, Ztools Utilities, ZPL II Programming Guide, Zebra Designer, Zebra Designer Pro, BAR-ONE for R/3 (mySAP.com), Zebra's Universal Windows Printer Driver, ZebraNet WebView and Alert Utilities, Adobe Acrobat, Direct Zebra Web Access, ZebraNet Connectivity CD for PSII, PS10/100 and Wireless Print Server, ZBI-Ready.

					Description	List Price
<b>Base Printer Models (ZPL II Prog. Lang.) (choose one)</b>						
R 1 2 - 7 - - - - -	-	Zebra R110Xi Multi-Protocol RFID Reader - 200 dpi				4,495
R 1 3 - 7 - - - - -	-	Zebra R110Xi Multi-Protocol RFID Reader - 300 dpi				4,695
R 7 2 - 7 - - - - -	-	Zebra R170Xi Multi-Protocol RFID Reader - 200dpi				6,795
R 7 0 - 7 - - - - -	-	Zebra R170Xi Multi-Protocol Reader - 300 dpi				6,995
<b>Communications Options (choose one) Reference Region Availability Matrix for 802.11q options</b>						
- - - - - 0 - - - - -	-	RS-232 Serial, Parallel & USB 2.0 (Standard)				N/C
- - - - - 5 - - - - -	-	RS-232/RS-422/485 Serial, Parallel & USB 2.0 & Applicator Interface Port				195
- - - - - A - - - - -	-	Internal ZebraNet 10/100 PrintServer, RS-232, & USB 2.0				N/C
- - - - - B - - - - -	-	Internal ZebraNet 10/100 PrintServer , RS-232 Serial & USB 2.0 & Applicator Interface Port				249
- - - - - E - - - - -	-	ZebraNet Wireless Plus (Radio card not included)				299
- - - - - F - - - - -	-	ZebraNet Wireless Plus & Internal ZebraNet 10/100 Printserver (Radio card not included.)				499
- - - - - G - - - - -	-	ZebraNet Internal Wireless Plus (radio card included)				499
- - - - - H - - - - -	-	ZebraNet Internal Wireless Plus & Internal ZebraNet 10/100 PrintServer(radio card included)				499
- - - - - J - - - - -	-	SEH PS102-Z Internal IPV6 Print Server				499
<b>Regional Edition, A/C Power Configuration and Cord</b>						
- - - - - 1 - - - - -	-	North American Edition, 120 VAC Cord				N/C
- - - - - 2 - - - - -	-	No Cord				N/C
- - - - - 4 - - - - -	-	European Edition, 240 VAC Cords with European and UK Plug				N/C
- - - - - 5 - - - - -	-	Argentina Edition, 240 VAC Cord				N/C
- - - - - 6 - - - - -	-	Australian Edition, 240 VAC Cord				N/C
- - - - - 7 - - - - -	-	Taiwan Edition, 120 VAC Cord				N/C
- - - - - 9 - - - - -	-	Chinese Edition, 240 VAC Cord				N/C
<b>Font Options (choose one)</b>						
- - - - - 0 0 - - - - -	-	Do not include this option				N/C
- - - - - X X - - - - -	-	To include this option see font list for selection and specifications				see pages 12-13
<b>Media Options (choose one)</b>					<b>R110Xi</b>	<b>R170Xi</b>
- - - - - 0 - - - - -	-	None (Standard)			N/C	N/C
- - - - - 1 - - - - -	-	Cutter with Catch Tray			695	795
- - - - - 2 - - - - -	-	Rewind with Peel			295	395
<b>SDRAM Memory and Languages</b>						
- - - - - 0 - - - - -	-	16MB SDRAM (Standard) with ZPLII and XML				N/C
- - - - - 1 - - - - -	-	64MB On-Board Linear Flash Memory w/ ZPLII and XML (Factory Installed Only)				150
<b>Other Factory Installed Options (choose one)</b>						
- - - - - 0 - - - - -	-	Clear Media Side Door & Media Hanger			N/C	N/C
- - - - - 1 - - - - -	-	Clear Media Side Door & 3-inch Media Supply Spindle			50	50
- - - - - 3 - - - - -	-	Clear Bi-fold Media Side Door & Media Hanger			120	120
- - - - - 4 - - - - -	-	Clear Bi-fold Media Side Door & Media Supply Spindle			170	170
<b>Region/Country Configuration (choose one)</b>						
- - - - - - - - - - -	-	RFID Configured for US, Canada, and Latin America (Leave Blank)				N/C
- - - - - - - - - R 2 -	-	RFID Configured for Operations in Australia & New Zealand				N/C
- - - - - - - - - R 6 -	-	RFID Configured for Operations in Taiwan				N/C
- - - - - - - - - R 9 -	-	RFID Configured for Operations in Brazil				N/C
- - - - - - - - - R A -	-	RFID Configured for Operations in China				N/C
- - - - - - - - - R B -	-	RFID Configured for Operation in Hong Kong, Singapore and Thailand				N/C
- - - - - - - - - R E -	-	RFID Configured for Operation in El Salvador				N/C
R 1 3 - 7 A 1 - 0 0 2 0 3 - - -	-	<b>Example:</b> Zebra 110XiIIIPlus - 300 dpi Printer including internal ZebraNet 10/100 PrintServer, 120 VAC cord with US plug, rewind, 16MB SDRAM memory, and clear bi-fold media side door & media supply hanger, configured for US			<b>Cost</b>	\$5110

**RXi™ Series Price List (HF)**  
**North America, Latin America and South America**

Prices are in U.S. Dollars. EXW Vernon Hills, IL, USA.  
 Minimum billing for orders is \$50.00 per shipment per location.

**RXi Series - Configurator (HF -13.56MHz)**

**Reference RFID Region Availability Matrix**

*RXi printers include: RXi User's Guide, Ztools Utilities, ZPL II Programming Guide, Zebra Designer, Zebra Designer Pro, BAR-ONE for R/3 (mySAP.com), Zebra's Universal Windows Printer Driver, ZebraNet WebView and Alert Utilities, Adobe Acrobat, Direct Zebra Web Access, ZebraNet Connectivity CD for PSII, PS10/100 and Wireless Print Server, ZBI-Ready.*

		Description	List Price
<b>Base Printer Models (ZPL II Prog. Lang.) (choose one)</b>			
H 1 2 -	7 _ _ -	Zebra R110Xi High Frequency RFID Reader- 200 dpi	3995
H 1 3 -	7 _ _ -	Zebra R110Xi High Frequency RFID Reader- 300 dpi	4195
<b>Communications Options (choose one) Reference Region Availability Matrix for 802.11a options</b>			
- - - -	- 0 - -	RS-232 Serial, Parallel & USB 2.0 (Standard)	N/C
- - - -	- 5 - -	RS-232/RS-422/485 Serial, Parallel & USB 2.0 & Applicator Interface Port	195
- - - -	- A - -	Internal ZebraNet 10/100 PrintServer, RS-232, & USB 2.0	N/C
- - - -	- B - -	Internal ZebraNet 10/100 PrintServer , RS-232 Serial & USB 2.0 & Applicator Interface Port	249
- - - -	- E - -	ZebraNet Wireless Plus PrintServer (does not include radio card)	299
- - - -	- F - -	ZebraNet Wireless PrintServer & Internal ZebraNet 10/100 Printserver	499
- - - -	- G - -	ZebraNet Internal Wireless Plus (radio card included)	499
- - - -	- H - -	ZebraNet Internal Wireless Plus & Internal ZebraNet 10/100 PrintServer(radio card included)	499
- - - -	- J - -	SEH PS102-Z Internal IPV6 Print Server	499
<b>Regional Edition, A/C Power Configuration and Cord (choose one)</b>			
- - - -	- - 1 -	North American Edition, 120 VAC Cord	N/C
- - - -	- - 2 -	No Cord	N/C
- - - -	- - 9 -	Chinese Edition, 240 VAC Cord	N/C
<b>Font Options (choose one)</b>			
- - - -	0 0 - -	Do not include this option	N/C
- - - -	X X - -	To include this option see font list for selection and specifications	see pages 12-13
<b>Media Options (choose one)</b>			
- - - -	- - 0 -	None (Standard)	N/C
- - - -	- - 1 -	Cutter with Catch Tray	695
- - - -	- - 2 -	Rewind Option with Peel	295
<b>SDRAM Memory and Languages</b>			
- - - -	- - 0 -	16MB Memory with ZPL II and XML (Standard)	N/C
- - - -	- - 1 -	64 MB On-Board Linear Flash Memory ZPL II and XML (61 MB user available)	150
<b>Other Factory Installed Options (choose one)</b>			
- - - -	- - 0 -	Clear Media Side Door & Media Hanger	N/C
- - - -	- - 1 -	Clear Media Side Door & 3-inch Media Supply Spindle	50
- - - -	- - 3 -	Clear Bi-fold Media Side Door & Media Hanger	120
- - - -	- - 4 -	Clear Bi-fold Media Side Door & 3-inch Media Supply Spindle	170
H 1 3 - 7 A 1 - 0 0 2 0 3			<b>Cost</b> \$4610
Example: Zebra R110Xi - 300 dpi Printer with High Frequency RFID Reader, including internal ZebraNet 10/100 PrintServer, 120 VAC cord with US plug, rewind, 16MB SDRAM memory, and clear bi-fold media side door & media supply hanger			

Zebra Technologies International, LLC  
 475 Half Day Road  
 Lincolnshire, IL 60069

## R110PAX4™ Series Price List

### Zebra North America Only

Prices are in U.S. Dollars. EXW Vernon Hills, IL, USA.  
Minimum billing for orders is \$50.00 per shipment per location.

### R110PAX4 Series - Configurator

#### Reference RFID Region Availability Matrix

		Description	List Price
<b>Base Print Engine Models (choose one)</b>			
R 1 2 E R _ _ _	- _ _ _ _	Zebra R110PAX4 (203dpi, 12 ips, right-hand)	
R 1 2 E L _ _ _	- _ _ _ _	Zebra R110PAX4 (203dpi, 12 ips, left-hand)	
R 1 3 E R _ _ _	- _ _ _ _	Zebra R110PAX4 (300dpi, 8 ips, right-hand)	By contract
R 1 3 E L _ _ _	- _ _ _ _	Zebra R110PAX4 (300dpi, 8 ips, left-hand)	
<b>Communications Options (choose one)</b>			
_ _ _ _ _ 0 _ _	- _ _ _ _	High Speed Serial (RS-232) and Parallel (IEEE-1284)	N/C
_ _ _ _ _ 3 _ _	- _ _ _ _	Internal ZebraNet® PrintServer 10/100 (in lieu of Parallel)	N/C
<b>Regional Edition, A/C Power Configuration and Cord (choose one)</b>			
_ _ _ _ _ 1 _ _	- _ _ _ _	North American Edition, 120 VAC Cord	N/C
_ _ _ _ _ 2 _ _	- _ _ _ _	No Cord	N/C
<b>Font Options (choose one)</b>			
_ _ _ _ _ _ 0 0 _ _	- _ _ _ _	Do not include an optional font	N/C
_ _ _ _ _ _ X X _ _	- _ _ _ _	To include this option see font list for selection and specifications	see pages 12-13
<b>PC Card (PCMCIA) Option -Reference Region Availability Matrix for 802.11g options</b>			
_ _ _ _ _ _ _ _ 0 _ _	- _ _ _ _	Memory Socket board for PC Card (PCMCIA) and Compact Flash Memory Cards*	N/C
_ _ _ _ _ _ _ _ 6 _ _	- _ _ _ _	ZebraNet Internal Wireless Plus (radio card included)	499
<b>Flash Memory Options</b>			
_ _ _ _ _ _ _ _ 0 _	- _ _ _ _	Standard ZPL & 4MB Flash (2MB User Available)	N/C
<b>Applicator Interface Options</b>			
_ _ _ _ _ _ _ _ 0 _	- _ _ _ _	5V I/O Applicator Interface Card	N/C
_ _ _ _ _ _ _ _ 2 _	- _ _ _ _	24V - 28V I/O Applicator Interface Card	N/C
<b>Sample Configuration</b>			
R 1 2 E R 0 1 - 0 0 5 0 2		Example Option Pricing: Zebra R110PAX4 (203 dpi, right hand) including Serial & Parallel Ports with US Cord, ZebraNet Internal Wireless Print Server, 2MB Flash and 24V-28V I/O Applicator Interface Card	contract price + 499

**Zebra RZ Series™ Price List**  
**North America, Latin America & Asia Pacific**

Prices are in U.S. Dollars. EXW Vernon Hills, IL, USA.  
 Minimum billing for orders is \$50.00 per shipment per location.

**RZ400/RZ600 - Common Configuration Price List**

**Reference RFID Region Availability Matrix**

The following part numbers are classified as common configurations, which means they are the most popular configurations and are readily available from Zebra and our authorized Distribution partners.

	Description	List Price
RZ400-2001-000R0	RZ400 - 8 dot/mm (203 dpi), ZPL II & XML, 16MB SDRAM, Power Cord w/US plug - 120 VAC, Serial, Parallel, USB, RFID Configured for US & Canada	3595
RZ400-2001-010R0	RZ400 - 8 dot/mm (203 dpi), ZPL II & XML, 16MB SDRAM, Power Cord w/US plug - 120 VAC, Internal ZebraNet 10/100 PrintServer, RFID Configured for US & Canada	3894
RZ400-3001-000R0	RZ400 - 12 dot/mm (300 dpi), ZPL II & XML, 16MB SDRAM, Power Cord w/US plug - 120 VAC, Serial, Parallel, USB, RFID Configured for US & Canada	3995
RZ400-3001-010R0	RZ400 - 12 dot/mm (300 dpi), ZPL II & XML, 16MB SDRAM, Power Cord w/US plug - 120 VAC, Internal ZebraNet 10/100 PrintServer, RFID Configured for US & Canada	4294
RZ600-2001-000R0	RZ600 - 8 dot/mm (203 dpi), ZPL II & XML, 16MB SDRAM, Power Cord w/US plug - 120 VAC, Serial, Parallel, USB, RFID Configured for US & Canada	4995
RZ600-2001-010R0	RZ600 - 8 dot/mm (203 dpi), ZPL II & XML, 16MB SDRAM, Power Cord w/US plug - 120 VAC, Internal ZebraNet 10/100 PrintServer, RFID Configured for US & Canada	5294

**RZ400/RZ600 - Configurator**

**Reference RFID Region Availability Matrix**

Unique printer configurations which combine specific options and features are also available, using the part number configurator below. Longer lead times may apply to unique configurations.

	Description	List Price
<b>Choose a single number for each column</b>		
R Z 4 0 0 - 2 - - - - -	<b>Base Printer Model and Resolution</b>	
R Z 4 0 0 - 3 - - - - -	RZ400 - 8 dot/mm (203 dpi)	3595
R Z 6 0 0 - 2 - - - - -	RZ400 - 12 dot/mm (300 dpi)	3995
R Z 6 0 0 - 3 - - - - -	RZ600 - 8 dot/mm (203 dpi)	4995
R Z 6 0 0 - 3 - - - - -	RZ600 - 12 dot/mm (300 dpi)	5395
<b>Programming Language</b>		
- - - - - - 0 - - - - -	ZPL II and XML	NC
<b>Flash Memory</b>		
- - - - - - 0 - - - - -	16MB SDRAM (Standard)	N/C
- - - - - - 1 - - - - -	64MB On Board Linear Flash Memory (Factory Installed Only)	200
<b>Power Cords</b>		
- - - - - - - 0 - - - - -	No Power Cord	N/C
- - - - - - - 1 - - - - -	Power Cord with US plug; 120VAC	N/C
- - - - - - - 4 - - - - -	Power Cord with European and UK plug; 240VAC	N/C
- - - - - - - 5 - - - - -	Power Cord with Argentinean plug; 240VAC	N/C
- - - - - - - 6 - - - - -	Power Cord with Australian plug; 240VAC	N/C
- - - - - - - 7 - - - - -	Power Cord with Taiwan additions; 240VAC	N/C
- - - - - - - 9 - - - - -	Chinese Edition, 240 VAC Cord	N/C
<b>Media Handling Options</b>		
- - - - - - - - 0 - - - - -	Standard version	4"
- - - - - - - - 1 - - - - -	Cutter	N/C
- - - - - - - - 3 - - - - -	Passive Peel (No Liner Takeup Spindle)	6"
- - - - - - - - 4 - - - - -	Peel with full roll liner take-up (RZ400 only)	695
- - - - - - - - 5 - - - - -	Peel with full roll rewind	175
- - - - - - - - 5 - - - - -		375
- - - - - - - - 5 - - - - -		495
- - - - - - - - 5 - - - - -		895
- - - - - - - - 5 - - - - -		250
- - - - - - - - 5 - - - - -		N/A
- - - - - - - - 5 - - - - -		595
<b>Communication Options - Reference RFID Region Availability Matrix for 802.11g</b>		
- - - - - - - - - 0 - - - - -	Serial, Parallel, USB (Standard)	N/C
- - - - - - - - - 1 - - - - -	Internal ZebraNet Printserver 10/100, Serial, Parallel, USB	299
- - - - - - - - - 4 - - - - -	ZebraNet Internal Wireless Plus (card included), Serial, Parallel, USB	499
- - - - - - - - - 5 - - - - -	ZebraNet Internal Wireless Plus & Internal ZebraNet 10/100 Print Server (radio card not included), Serial, Parallel, USB	725
<b>Fonts</b>		
- - - - - - - - - 0 - - - - -	Standard	N/C
- - - - - - - - - X - - - - -	See Font Page for Options	See page 14
<b>Region/Country Configuration (choose one) - Reference RFID Region List for Model Availability</b>		
- - - - - - - - - R 0 - - - - -	RFID Configured for US, Canada, and Latin America	N/C
- - - - - - - - - R 2 - - - - -	RFID Configured for Operation in Australia and New Zealand	N/C
- - - - - - - - - R 6 - - - - -	RFID Configured for Operation in Taiwan	N/C
- - - - - - - - - R A - - - - -	RFID Configured for Operation in China	N/C
- - - - - - - - - R B - - - - -	RFID Configured for Operation in Hong Kong, Singapore, Malaysia, and Thailand	N/C
- - - - - - - - - R D - - - - -	RFID Configured for Operation in India	N/C
- - - - - - - - - R H - - - - -	RFID Configured for Operations in Korea	N/C
<b>Example</b>		
R Z 4 0 0 - 2 0 0 1 - 0 4 0 R 0	Description: Zebra RZ400 UHF RFID Thermal Transfer Printer, 203 dpi, Internal ZebraNet Wireless Plus, 16MB SDRAM, US Power Cord, RFID Configured for US/Can	4094

**Zebra RP4T Price List**  
**North America, Latin America & Asia Pacific**  
Prices are in U.S. Dollars. EXW Vernon Hills, IL, USA.  
 Minimum billing for orders is \$50.00 per shipment per location.

**RP4T - 203 dpi Thermal Transfer RFID Printer**

Part Number	Description	List Price
P 4 D -	<b>Base Printer Model</b> (CPCL Programming Language with ZPL/EPL/XML support)	
P 4 D -	RP4T (4 inch, 32-bit processor, USB, 8MB FLASH/ 16MB RAM, CPCL/EPL/ZPL/XML )	3195
- U	<b>RFID - Please check certification table in Appendix B for product availability by country.</b>	
- 1	US, Canada, and Latin America	N/C
- 2	EU/EFTA (Does not include Croatia), Turkey, and UAE	N/C
6	Australia/New Zealand	N/C
A	Taiwan	N/C
B	China	N/C
C	Malaysia, Singapore, Thailand	N/C
H	Philippines	N/C
	South Korea	N/C
	<b>Character Set (choose one)</b> *for Hebrew or Arabic select "U" for part number selection	
- D	Chinese 16 x 16 (traditional)	N/C
- H	Chinese 16 x 16 (Simplified)	N/C
- I	Chinese 24 x 24 (Simplified)	N/C
- U	*US/Canadian English/Latin 1 & 5 (Incl. Turkish)	N/C
	<b>Connectivity (choose one) Please check certification table in Appendix B for product availability by country.</b>	
- 1	None (serial and USB cable ready)	N/C
- B	Bluetooth	150
- K	Zebra Value Radio, 802.11b/g	350
	<b>Media Handling (choose one)</b>	
- 0	Internal media only	N/C
- 1	Add slot for external fanfold media	N/C
	<b>Regional Grouping Codes- **Please check certification table in Appendix B for product availability by country.</b>	
- 0 0	<b>Grouping "0":</b> (US/Canada/Mexico/Australia/New Zealand)	N/C
- A 0	<b>Grouping "A":</b> (Taiwan, South Korea)	N/C
- B 0	<b>Grouping "B":</b> (China/Singapore/Thailand/Philippines)	N/C
- E 0	<b>Grouping "E" (RoHS-compliant):</b> EMEA/EU/India/Russia: (Austria/Belgium/Cypress/Czech/Denmark/Estonia/Finland/France/Germany/Greece/Hungary/Iceland/Ireland/Italy/Latvia/Liechtenstein/Lithuania/Luxembourg/Malta/Netherlands/Norway/Poland/Portugal/Slovakia/Slovenia/Spain/Sweden/Switzerland/Turkey/UK)	N/C
	<b>Customer Options</b>	
- 0 1 - 0 0	<b>Default:</b> 19.2 Baud; DTR Pwr-Off Enable; Handshake HW (CTS/RTS); CPCL/EPL/ZPL	N/C
P 4 D - U U K 0 0 0 1 - 0 0	<b>Example:</b> RP4T printer with US/Canadian/ English/Latin character set, RFID and 802.11g for use in US and Canada	3545

**Zebra RP4T Price List**  
**North America, Latin America & Asia Pacific**  
Prices are in U.S. Dollars. EXW Vernon Hills, IL, USA.  
 Minimum billing for orders is \$50.00 per shipment per location.

*Lithium ion batteries have a limited life, and Zebra recommends a regular replacement cycle. To learn about Zebra's Battery Refresh Program, visit the 'Service and Support' section of AccessZebra or [www.zebra.com/batteries](http://www.zebra.com/batteries).*

**RP4T Accessories**

	P/N	Description	List Price
<b>Handling Options:</b>			
<b>Vehicle</b>	AK18924-1	RP4T Soft Case	85
		<b>Mobile Mount:</b> Select one mobile mount option and one power supply option	
	AK18926-1	Handi-Mount (compact, flexible RAM arm) with Base Plate	300
	AK18926-2	Handi-Mount (compact, flexible RAM arm) without Base Plate	225
	AK18926-3	QL 420 Plus/P4T Heavy Duty Forklift Mount Kit (with U-Arm bracket and fanfold bin)	475
	AN16618-1	Fanfold Bin (includes media spacer and mounting hardware)	70
	AK18913-003	Li-Ion DC/DC 15 - 60 VDC adapter (for use with forklifts without RP4T Vehicle Cradle)	95
	AK18831-1	12-15 VDC Cable Lighter Adapter (for use without RP4T Vehicle Cradle)	135
	AK18831-2	12-15 VDC Cable Unterminated Wires (for use without RP4T Vehicle Cradle)	135
	P1005317-001	RP4T Vehicle Cradle with Lighter Adapter - English, Spanish, French Manual	225
<b>Batteries</b>	P1005317-002	RP4T Vehicle Cradle Open-Ended Terminals - English, Spanish, French Manual	225
	AK18913-015	Li-Ion DC/DC 15 - 60 VDC adapter (ONLY for use with the P4T vehicle cradle and forklifts)	95
	P1010338	RAM Mount	99
	<b>Power System Options:</b>		
	<b>Spare Batteries:</b>		
	AK18913-001	Smart Li-Ion Battery for the RP4T	160
	<b>AC Adapter (for charging single battery inside printer)</b>		
	AK18913-002	AC Adapter, US AC cable	95
	AK18913-006	AC Adapter, UK AC cable	95
	AK18913-007	AC Adapter, European AC cable	95
<b>Charging</b>	AK18913-009	AC Adapter, China AC cable	95
	AK18913-010	AC Adapter, Australia/New Zealand AC cable	95
	AK18913-011	AC Adapter, Argentina AC cable	95
	AK18913-012	AC Adaptor, Japan AC cable	95
	AK18913-013	AC Adaptor, Brazil AC cable	95
	AK18914-014	AC Adaptor, Singapore AC cable	95
	<b>Li-Ion Single Chargers (for charging single battery outside printer) Li72:</b>		
	AT17696-1	US	115
	AT17696-2	UK	115
	AT17696-3	Europe	115
<b>Other</b>	AT17696-4	Australia	115
	AT17696-6	For use in countries with an unsupported AC plug. Use with locally sourced AC cable with IEC 60320 type C7 Connector.	115
	<b>Li-Ion Quad Charger (charges up to 4 QL/QL Plus/RW/RP4T batteries)</b>		
	AC18177-5	US	550
	AC18177-1	UK	550
	AC18177-2	Europe	550
	AC18177-3	Australia	550
	<b>Operational Options:</b>		
	AK18388-001	<b>XML Support Utility CD:</b> Applications and documentation files	10
	AN11209-1	<b>Cleaning Supplies:</b> 12 printhead cleaning pens	40
<b>Printer Cable Pricing</b>			
<b>Cables:</b>			
	AL17594-812	Unterminated: 6' Straight locking	25
	AK18666-1	USB-A to RJ45 via USB; Strain relief locking AP DTR	23

## RFID Printers Price List

### RP4T Printer Cable Pricing

Model	Connector Type	RW & RP4T Part #	RW & RP4T Part \$	Cable Type
7500, 7506	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
CK30, CK31	JAE-26M	AK17594-119	\$85.00	8' Coiled AP DTR
CK60	DB-9M using I-mec #225-690-002	BL17205-1	\$40.00	6' Straight locking AP DTR
CN2	DB-9M using Intermec #074247	BL17205-1	\$40.00	6' Straight locking AP DTR
CT60, CV60, CV30	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
700	Hirose, 16F Pin	AK18246-1	\$80.00	6' coiled
2020	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
241X	AMP Pocket Phone			
242X	DB-9M w/optical link adapter #064021	BL17205-1	\$40.00	6' Straight locking AP DTR
243x	DB-9M with Serial Connector Module #071775	BL17205-1	\$40.00	6' Straight locking AP DTR
246X	DM-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
248X	DB-9M COM1	BL17205-1	\$40.00	6' Straight locking AP DTR
502X	Intermec L5020 Adapter DB-9	BL17205-1	\$40.00	6' Straight locking AP DTR
5055	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
6400	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
6110	DB-9M Using the Serial Pod	BL17205-1	\$40.00	6' Straight locking AP DTR
6640, 665X	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR

### RP4T Printer Cable Pricing

Model	Connector Type	RW & RP4T Part #	RW & RP4T Part \$	Cable Type
FMT 1000, 3000	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
MC50	Micro DB-15 using ADP5000-00 Pod	AK17594-341	\$39.00	8' coiled AP DTR
MC70		Avial. from Motorola		
MC1000	Clip-On	AK17594-347	\$85.00	8' coiled AP DTR
MC3000	Clip-On	AK17594-345	\$85.00	8' coiled AP DTR
MC9000-G Series	DB-15 using ADP 9000-100 pod	AK17594-343	\$39.00	8' coiled AP DTR
MK1100, MK2000	MOD 10	AK17594-337	\$39.00	8' coiled AP DTR
PDT 3100, 3200, 3500, 6100	MOD-10			
		AK17594-813	\$39.00	8' Coiled AP +5v
		AK17594-335	\$39.00	8' coiled APDTR
PDT 8000	Clip-On	AK17463-010	\$125.00	6' coiled
PPT 8800	Micro DB-15 using UCC8800-00 Pod	AK17594-341	\$39.00	8' coiled APDTR
PTC 1124, 2124	DB-9M Using Serial Pod	BL17205-1	\$40.00	6' Straight locking AP DTR
PTC 1194	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
		Avial. from Motorola		
VC5090				
VRC 4000	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
VRC 5000	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR

Intermec / Norand

Motorola/Symbol / Telxon

## RFID Printers Price List

### **RP4T Printer Cable Pricing**

			RW & RP4T Part #	RW & RP4T Part \$	Cable Type
LXE	Model	Connector Type			
	MX1, MX3	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
PSC	VX1, VX2, VX4	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
Unitech Tek	1380, 1390, 1590	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
Other	Falcon 310, 315, 320, 325	MOD-10	AK17594-813	\$39.00	8' Coiled AP +5v
	Powerscan	RJ-45 MOD 8	AK18218-1	\$45.00	4' Coiled
PC	Falcon 510, 515, 625, 665	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
All	7530, 7535 and 8530	RJ45	AK17594-400	\$125.00	8' Spiral
All	PT-500	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
All	PT-700	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
All	PT-805	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
All	PT-815	DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
All		Unterminated	AK17594-812	\$25.00	6' Straight Locking
All			AK17594-817	\$25.00	8' Coiled Locking
All		1/4" Phone Jack/ DEX	AK17594-810	\$36.00	1' Straight Locking
All		DB-9M	BL17205-1	\$40.00	6' Straight locking AP DTR
All		USB-A to RJ45 via USB	AK18666-2	\$23.00	Strain relief daily use
All		USB-A	AT17010-1	\$23.00	to Mini USB setup only

## R2844-Z Series - Custom Configurations

(choose one item from each section to form a complete part number)

Part Number	Description	Suggested List Price
R284 - 1 _ _ _ _ - _ _ _	<b>Base Printer</b> R2844 with Thermal Transfer Print Technology and ZPL Command Language	1,695
____ - _ 0 3 _ _ - _ _ _	<b>Interface</b> Parallel, RS232 Serial and USB	N/C
____ - _ 0 4 _ _ - _ _ _	RS232 Serial, USB and Optional Internal ZebraNet Print Server II	249
____ - _ _ _ 0 _ - _ _ _	<b>Power</b> 100-240V A.C. USA and European	N/C
____ - _ _ _ 3 _ - _ _ _	240V A.C. U.K.	N/C
____ - _ _ _ 4 _ - _ _ _	240V A.C. Australian	N/C
____ - _ _ _ 7 _ - _ _ _	220V A.C. Chinese Agency Certified	N/C
____ - _ _ _ 9 _ - _ _ _	110-220V A.C. Japan, European, USA	N/C
____ - _ _ _ _ 0 _ - _ _ _	<b>Media Options</b> No Options (standard)	N/C
____ - _ _ _ _ 1 _ - _ _ _	Dispenser	35
____ - _ _ _ _ - 0 0 _	<b>Printer Font Set</b> USA and European	N/C
____ - _ _ _ _ - _ _ 0 _	<b>Memory</b> Standard Flash, Standard SDRAM, No Real Time Clock	N/C
____ - _ _ _ _ - _ _ 1	<b>User Documentation</b> English	N/C
R284 - 1 0 3 0 1 - 0 0 0 1	<b>Example:</b>  R2844-Z with Thermal Transfer Print Technology and ZPL Command Language Parallel, RS232 Serial & USB Interface, USA and European Power, Dispenser, USA and European Font Set Standard Flash, Standard SDRAM, No Real Time Clock, English/European/Latin America Documentation	1,730

## R2844-Z Series - Accessories

Part Number	Description	Suggested List Price
13831-001	ZebraDesigner Pro	250
48733-100	ZebraNet Bridge Enterprise (1 to 50 printers)	595
77843	Japanese Monotype Mincho™ Smooth Scalable Font (code page 932)**	50
77848	Japanese HGP Gothic B™ Smooth Scalable Font (code page 942)**	50
77844	Korean HY Gothic Hangul™ Smooth Scalable Font (code page 947)**	50
77847	Traditional Chinese Monotype Kai™ Smooth Scalable Font (code page 950)**	50
77846	Simplified Chinese Monotype Sung™ Smooth Scalable Font (GB2312-80)**	50
77845	Thai Angsana™ Smooth Scalable Font (code page 847)**	50
77842	Over 20 Smooth Scalable Fonts (code page 850)**	50
77840	Five Asian Bitmap Flash Font Pack (pt.Sizes 6, 12, 18, & 24, code page 850)**	50
105810-002	Media Adaptor Plates (for media cores from 1.5" to 3" ID)	83

Zebra Technologies International, LLC  
475 Half Day Road  
Lincolnshire, IL 60069

**RFID™ Price List**  
**Available in North America, Latin America, South America & Asia Pacific**

Prices are in U.S. Dollars. EXW Vernon Hills, IL, USA.  
 Minimum billing for orders is \$50.00 per shipment per location.

**RFID - Accessories**

	Memory	List Price	RXi (UHF & HF)	RPAX	RZ
G46999-0008	8MB Linear PCMCIA Flash Card (blank) <sup>(A)</sup>	315	x	x	
G46999-0032	32MB Linear PCMCIA Flash Card (blank) <sup>(A)</sup>	995	x	x	
G33193-128	128MB Compact Flash (CF) Card Accessory (blank) <sup>(A)</sup>	226	x	x	
G33193-256	256MB Compact Flash (CF) Card Accessory (blank) <sup>(A)</sup>	363	x	x	
G33194-128	128MB ATA PCMCIA Flash Card Accessory (blank) <sup>(A)</sup>	250	x	x	
G33194-256	256MB ATA PCMCIA Flash Card Accessory (blank) <sup>(A)</sup>	456	x	x	
	<b>Print Server Connectivity -Reference RFID Region Availability Matrix for 802.11g</b>				
	Internal ZebraNet PrintServer 10/100 <sup>(B)</sup>	349	G47480	G57546	79823
	External ZebraNet PrintServer 10/100 Accessory Kit <sup>(B)</sup>	249	G47490	G47490	G47490
	ZebraNet Wireless Plus (does not include radio card)	499	29651-002M	29651-004M	29651-006M
	ZebraNet Internal Wireless Plus Print Server (Includes radio card)	550	29652-002M	29652-004M	29652-006M
	SEH PS105-Z External IPv6 Print Server for RXi & RZ	411	P1000219		P1000219
	SEH PS102-Z Internal IPv6 Print Server for RXi & RZ	462	P1000220		P1000220
	<b>Connectivity</b>				
37608	RS-485 Y-Connection Cable for Printer-to-Printer	64	x		x
37996	USB Cable, 15 Feet Long	23	x		x
G33114M	Serial Port Converter: RS232 to RS422/RS485 adapter	61	x	x	x
G33109M	Serial Port Converter: RS232 DB9 to DB25 adapter	44	x	x	x
	<b>Maintenance</b>				
47362	Preventive Maintenance Kit	13	x	x	x
	<b>RXI Field Installable Upgrades</b>	<b>R110Xi (UHF &amp; HF) (200, 300dpi)</b>		<b>R170Xi (200, 300dpi)</b>	
		P/N	List Price	P/N	List Price
	Cutter, Self-Sharpening Rotary Blade with Catch Tray	G41353	927	G46353	1076
	Cutter and Rewind with Cutter Catch Tray	N/A		G46154	1725
	Media rewind Spindle Kit (enables rewind and peel-off option)	G41355	479	G46355	541
	Media Supply Spindle, 3" ID Core	G41253M	145	G46253M	176
	Media Supply Spindle, 40mm ID Core	G41254M	173		
	Media Door Panel, with Window	46937	77		
	Bi-fold Media Door Panel, with Window	G47077M	210		
	Applicator Interface Port	49872-009M	120		
	<b>RZ Series Field Installable Upgrades</b>	<b>RZ400</b>		<b>RZ600</b>	
		P/N	List Price	P/N	List Price
	203 to 300 dpi printhead conversion kit	79806	560	79808	825
	300 to 203 dpi printhead conversion kit	79805	480	79809	530
	Cutter with Catch Tray	79841	757	79842	973
	Liner Take-up Spindle Only	79868M	394		
	Kit Combination Media Rewnd & Peel	79835	613	79836	716
	Kit Peel Unit Only	79831M	193	79832M	276
	<b>Documentation</b>	List Price	RXi (UHF)	RXi (HF)	RPAX
	ZPL II Programming Guide Vol. 2 <i>The X.10 Environment</i> (Bound hard copy; Electronic copy included with Printer on CD-ROM)	25	45542L	45542L	45542L
	110XiIIIPlus Maintenance Manual -Hard Copy	83		13185L-002	
	XIII, XI/III and XI/IIIPlus Maintenance Manual on CD-ROM (110XiIIIPlus not included)	54		48560-001	
	110PAX4 Quick Reference Guide (Included with International Units)	75			57515L-001
	110PAX4 Maintenance Manual	75			57515L-001
	RZx00 Maintenance Manual on CD-ROM	54			77960-001
	<b>Software</b>	<b>RXi-UHF &amp;</b>			
		List Price	HF	RPAX4	RZ
48766-001	ZBI 2.0 Enablement Kit for 1 Printer	99	x	x	x
48767-001	ZBI 2.0 Enablement Kit for 5 Printers	495	x	x	x
48768-001	ZBI 2.0 Enablement Kit for 25 Printers	2475	x	x	x
13831-002	ZebraDesigner Pro	275	x	x	x
13832-002	ZebraDesigner for mySAP Business Suite	495	x	x	x
13833-002	ZebraDesigner for XML	495	x	x	x
48733-120	ZebraNet Bridge Enterprise for 1-50 Printers	595	x	x	x
48734-120	ZebraNet Bridge Enterprise for 1-100 Printers	795	x	x	x
48735-120	ZebraNet Bridge Enterprise for 100+ Printers	995	x	x	x
48735-120	ZebraNet Bridge Enterprise for 100+ Printers	995	x	x	x
P1006469	ZebraLink Enterprise Connector for Oracle BI Publisher	9600	x	x	x

A - ZebraNet Wireless Plus does not support CF/PCMCIA Memory

B - Ethernet disables parallel port on XIIIPlus

**RFID Price List \_RXI (UHF & HF)**  
**Zebra North America, Latin America & Asia Pacific**

Prices are in U.S. Dollars. EXW Vernon Hills, IL USA.  
 Minimum billing for orders is \$50.00 per shipment per location.

**RXi Series & RPAX - Field Installable Fonts**

Language	Description	Code Page	List Price	Xi-Series	RPAX
<b>Scaleable Fonts on 8 MB PCMCIA (linear) Flash Memory Cards (needs to support PCMCIA Memory Cards)</b>					
G46999-0401	English CG Times™ (standard, bold, italic and bold italic)	850	355	X	X
G46999-0501	English Univers® (standard, bold, italic and bold italic)	850	355	X	X
G46999-0801	Cyrillic CG Times, Univers (CG Times standard, Univers bold)	866	355	X	X
G46999-0901	East European CG Times, Univers (CG Times standard, Univers medium)	852	355	X	X
G46999-1504	Japanese Gothic Kanji (standard)	932	355	X	X
G46999-1608	Japanese Mincho & Gothic (standard)	932	355	X	X
G46999-1804	Japanese HGP Gothic B™ (standard)	932	355	X	X
G46999-1904	Korean HY Gothic Hangul™ (standard)	947	355	X	X
G46999-2008	Traditional Chinese Monotype Kai™ (standard)	950	355	X	X
G46999-2104	Simplified Chinese Monotype Sung™ (standard)	GB2312-80	355	X	X
<b>Scaleable Fonts on 32 MB PCMCIA (linear) Flash Memory Cards (needs to support PCMCIA Memory Cards)</b>					
G48303	Unicode Andale Mono Japanese	Unicode	1025	X	X
G48304	Unicode Andale Mono Korean	Unicode	1025	X	X
G48305	Unicode Andale Mono Simplified Chinese	Unicode	1025	X	X
G48306	Unicode Andale Mono Traditional Chinese	Unicode	1025	X	X
<b>Font Packs - Field Installable/Downloadable</b>					
R110Xi (R12), R110Xi (H12), R170Xi (R72) use the 203 dpi fonts; R110Xi (R13), R170Xi (R70), R110Xi (H13) use the 300 dpi fonts.					
77842	CG Triumvirate™, CG Times™, CG Century Schoolbook™, CG Univers®, CG Triumvirate™ Condensed, CG Futura®, CG Palacio™, Arabic Font, Greek Font, Cyrillic Font, Turkish Font, Icelandic Font, East European font (standard)	850, 866	50	X	X
77840	Asian Bitmap Font Pack Chinese, Japanese, Korean (203 dpi)	932	50	X	X
77841	Asian Bitmap Font Pack Chinese, Japanese, Korean (300 dpi)	932	50	X	X
77845	Thai Scaleable Font Angsana™	847	50	X	X
77848	Japanese Scaleable Font HGP Gothic B (requires 64MB Flash option or 8MB linear PCMCIA card)	932	50	X	X
77844	Korean Scaleable Font HY Gothic Hangul (requires 64MB Flash or 8MB linear PCMCIA card)	947	50	X	X
77847	Chinese Scaleable Font Monotype Kai (requires 64MB Flash option or 8MB linear PCMCIA card)	950	50	X	X
77846	Simplified Chinese Scaleable Font Monotype Sung (requires 64MB Flash option or 8MB linear PCMCIA card)	GB2312-80	50	X	X
<b>Font Packs - Field Installable/Downloadable (requires 64MB Flash option or 32MB linear PCMCIA card)</b>					
56050-001	Korean Kit, Font, Andale Korean	Unicode	200	X	
56068-001	Japanese Kit, Font, Andale Japanese	Unicode	200	X	
56080-001	Simplified Chinese Kit, Font, Andale Simplified Chinese	Unicode	200	X	
56095-001	Traditional Chinese Kit, Font, Andale Traditional Chinese	Unicode	200	X	

Zebra Technologies International, LLC  
 475 Half Day Road  
 Lincolnshire, IL 60069

**RXi™ Series & RPAX Price List (UHF & HF)**  
**Zebra North America, Latin America & Asia Pacific**

Prices are in U.S. Dollars. EXW Vernon Hills, IL USA.  
 Minimum billing for orders is \$50.00 per shipment per location.

**RXi Series & RPAX Factory Installed Fonts in Flash Memory**

Language	Description	Code Page	Order Form No.	List Price	Xi Series	RPAX
<b>Scaleable Fonts</b>						
English	CG Times (standard, bold, italic and bold italic)	850	04	125	X	X
English	Univers (standard, bold, italic and bold italic)	850	05	125	X	X
Cyrillic	CG Times, Univers (CG Times standard, Univers bold)	866	08	125	X	X
East European	CG Times, Univers (CG Times standard, Univers medium)	852	09	125	X	X
WGLA / Pan European	Swiss 721 (automatically included in "E" power cord configuration)	Unicode	0E	N/C	X	X
<b>Scaleable Fonts only available with On-Board 64MB Flash Memory</b>						
Unicode	Andale Mono Japanese	Unicode	0L	200	X	
Unicode	Andale Mono Korean	Unicode	0M	200	X	
Unicode	Andale Mono Simplified Chinese	Unicode	0N	200	X	
Unicode	Andale Mono Traditional Chinese	Unicode	0P	200	X	
Simplified Chinese	SimSun	GB 18030	0Q	200	X	
<b>Bitmapped Fonts</b>						
<b>R110Xi (R12), R110Xi (H12), R170Xi (R72) use the 203 dpi fonts; R110Xi (R13), R170Xi (R70), R110Xi (H13) use the 300 dpi fonts</b>						
Japanese	HGP Gothic B™ (standard, 203 dpi)	932	18	50	X	X
Korean	HY Gothic Hangul™ (standard, 203 dpi)	947	19	50	X	X
Traditional Chinese	Monotype Kai™ (standard, 203 dpi)	950	20	50	X	X
Simplified Chinese	Monotype Sung™ (standard, 203 dpi)	GB2312-80	21	50	X	X
Japanese	HGP Gothic B (standard, 300dpi)	932	24	50	X	X
Korean	HY Gothic Hangul (standard, 300dpi)	947	25	50	X	X
Traditional Chinese	Monotype Kai (standard, 300 dpi)	950	26	50	X	X
Simplified Chinese	Monotype Sung (standard, 300dpi)	GB2312-80	27	50	X	X

Zebra®, ZPL II® and BAR-ONE® are Registered Trademarks of Zebra Technologies Corporation. XilllPlus™, 110XilllPlus™, 140XilllPlus™, 170XilllPlus™, 220XilllPlus™, 105SL™, Z4Mplus™, Z4Mplus™, S4M™, Platinum™, ProPlus™, and ZebraNet™ are Trademarks of Zebra Technologies Corporation. IBM® is a Registered Trademark of International Business Machines Corporation. Centronics® is a Registered Trademark of Genicom Corporation. Windows™ is a Trademark of Microsoft Corporation. CG Triumvrate™, CG Palacio™, CG Times™, CG Century Schoolbook™ are Trademarks of Agfa Division, Miles Inc. CG Futura™ is a Trademark of Fundicion Tipografica Neuville, S.A. Univers® is a Registered Trademark of Linotype AG. Monotype Times New Roman™, Monotype Mincho™, Monotype Kai™, Monotype Sung™, are Trademarks of Monotype Typography, Ltd. HGP Gothic B™ is a Trademark of Ricoh Company, Ltd. HY Gothic Hangul™ is a Trademark of Hanyang Systems Inc.

**Zebra RZ Series™ Price List**  
**North America, Latin America & Asia Pacific**

Prices are in U.S. Dollars. EXW Vernon Hills, IL, USA.  
 Minimum billing for orders is \$50.00 per shipment per location.

**RZx00 ZPL Factory Installed Fonts in Flash Memory**

Bitmap Fonts - 203 dpi				
Language	Description	Code Page	Order Form No.	List Price
Japanese	HGP Gothic B	932	1	50
Korean	HY Gothic Hangul	947	2	50
Traditional Chinese	Monotype Kai	950	3	50
Simplified Chinese	Monotype Sung	GB2312-80	4	50
Bitmap Fonts - 300 dpi				
Language	Description	Code Page	Order Form No.	List Price
Japanese	HGP Gothic B	932	5	50
Korean	HY Gothic Hangul	947	6	50
Traditional Chinese	Monotype Kai	950	7	50
Simplified Chinese	Monotype Sung	GB2312-80	8	50
Scalable Fonts				
Language	Description	Code Page	Order Form No.	List Price
WGL4/ Pan-European	Swiss 721 (included in "E" power cord configurations automatically)	Unicode	E	N/C
Japanese	HGP Gothic B (requires 64MB Flash option)	932	F	50
Korean	HY Gothic Hangul (requires 64MB Flash option)	947	G	50
Traditional Chinese	Monotype Kai (requires 64MB Flash option)	950	H	50
Simplified Chinese	Monotype Sung (requires 64MB Flash option)	GB2312-80	J	50
Thai	Angsana™	874	K	50
Unicode	Andale Mono Japanese (requires 64MB Flash option)	Unicode	L	200
Unicode	Andale Mono Korean (requires 64MB Flash option)	Unicode	M	200
Unicode	Andale Simplified Chinese (requires 64MB Flash option)	Unicode	N	200
Unicode	Andale Mono Traditional Chinese (requires 64MB Flash option)	Unicode	P	200

Zebra Technologies International, LLC  
 475 Half Day Road  
 Lincolnshire, IL 60069

**RFID Printer Price List**

RFID Printer Country Listings- Availability for Sale Status																													
Product	N. America		EMEA				APAC										LATAM												
	USA	Can.	EU & EFTA	Turkey	UAE	Aust.	China	Hong Kong	Japan	S. Korea	Malaysia	New Zealand	Philip.	Singap.	Taiwan	Thail.	India	Agent.	Brazil	Chile	Costa Rica	Dom. Rep.	El Salvad.	Mex	Nicar.	Peru	Puerto Rico	Urug.	Venez.
Region Codes	R0	R0	R1	R1	R1	R2	RA	RB	RG	RH	RB	R2	RC	RB	R6	RB	RD	R0	R9	R0	R0	R0	RE	R0	R0	R0	R0	R0	R0
<b>RP4T</b>																													
RP4T	Y	Y	Y	Y	Y	Y	Y	Y	N	N	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	N	N	N	N	N	N	N	
RP4T 802.11G	Y	Y	Y	Y	Y	Y	Y	Y	N	N	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	N	N	N	N	N	N	N	
RP4T Blue Tooth	Y	Y	Y	Y	Y	Y	Y	Y	N	N	Y	Y	Y	Y	Y	Y	Y	N	N	N	N	N	N	N	N	N	N	N	
<b>RZ400/RZ600</b>																													
RZ400	Y	Y	Y	Y	Y	Y	Y	Y	Y	N	Y	Y	Y	N	Y	Y	N	Y	Y	N	N	N	N	N	Y	N	N	Y	
RZ400 with WLAN	Y	Y	Y	Y	Y	Y	Y	N	Y	N	N	N	Y	N	Y	Y	N	Y	Y	N	N	N	N	Y	N	N	Y	N	
RZ600	Y	Y	Y	Y	N	Y	N	N	N	N	N	N	Y	N	Y	N	N	N	Y	N	N	N	N	Y	N	N	Y	N	
RZ 600 with WLAN	Y	Y	Y	Y	N	Y	N	N	N	N	N	N	Y	N	Y	N	N	N	Y	N	N	N	N	Y	N	N	Y	N	
<b>R110Xi</b>																													
R110Xi UHF 900 MHz	Y	Y	N	N	N	Y	Y	Y	N	N	N	N	Y	Y	Y	Y	N	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		
R110Xi UHF 900 MHz WLAN	Y	Y	N	N	N	Y	N	Y	N	N	N	N	Y	Y	Y	Y	N	N	N	N	N	N	N	Y	N	N	Y	N	
R110Xi HF	Y	Y	Y	N	N	Y	Y	Y	Y	Y	N	N	N	N	Y	N	N	N	N	N	N	N	N	Y	N	N	N	N	
R110Xi HF WLAN	Y	Y	Y	N	N	Y	N	Y	Y	N	N	N	N	Y	N	N	N	N	N	N	N	N	N	Y	N	N	N	N	
<b>R170Xi</b>																													
R170Xli 900 MHz	Y	Y	N	N	N	Y	N	Y	N	N	N	Y	Y	Y	Y	Y	N	N	N	Y	Y	Y	Y	Y	Y	N	Y		
R170Xli 900 MHz WLAN	Y	Y	N	N	N	N	N	N	N	N	N	N	Y	N	Y	N	Y	N	N	N	N	N	N	Y	N	N	N	N	
<b>R110 PAX4</b>																													
R110 PAX4 900 MHz	Y	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N	Y	N	
R110 PAX4 900 MHz WLAN	Y	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	Y	N	N	Y	N	
R110 PAX4 800 MHz	N	N	Y	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	
R110 PAX4 800 MHz WLAN	N	N	Y	Y	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	

Zebra Technologies International, LLC

475 Half Day Road

Lincolnshire, IL 60069



## **RFID Products Price List**

### **ZebraCare**

### **ZebraCare™ Depot Service Agreements for Mobile Printers**

#### **ZebraCare™ Depot Extended Warranty Plans**

**Standard** - Coverage on all parts and labor, 5 day turn, return shipping via ground

**Advantage** - Standard Coverage PLUS 2-business day turnaround time and no charge firmware upgrades (on request)

**Advantage Overnight** - Advantage Coverage PLUS next day return shipping

**Advantage Plus** - Managed spares pool (up to 6%), same day overnight shipment of exchange pool product, and monthly activity reports

Please download the ZebraCare™ Configurator via AccessZebra for Mobile Depot service agreement pricing to create your ZebraCare quote.

For more details and to download the Configurator please visit ([https://private.zebra.com/reseller/current\\_pricing\\_nalaap.php](https://private.zebra.com/reseller/current_pricing_nalaap.php)) to review the “Installation Instructions” and to access the new configurator download file.

#### **DEPOT REPAIR LOCATIONS**

USA: Vernon Hills, Illinois

CANADA: Toronto

LATIN AMERICA: Mexico

**\*PLEASE NOTE\***: It is extremely important to review the “Installation Instructions” presentation before performing the download. This presentation outlines the required steps needed to ensure a successful download. Failure to follow these instructions may result in possible computer issues that your in-house IT team will have to resolve. Please contact your company’s IT team if you experience any issues.

**For more details on Mobile ZebraCare Depot Service Agreements, please contact your customer service representative.**

**Zebra Professional Services****Development Services:**

Have you ever found an opportunity that requires modifications to a Zebra® printer or software product? If so, look to Zebra Development Services for solutions that will enable your business. Whether complementing your core capabilities or extending your core capabilities or extending your project bandwidth, Zebra Development Services offers competitive fee-based assistance.

**Printer Customization**

Zebra's printer customization service provides access to manufacturer-level product customization such as hardware, firmware, electrical and kit creation. Depending on the nature of your solution, you can purchase and modify standard configurations or have Zebra provide fee-based customized configurations.

**Enterprise Printing Services**

Zebra offers Enterprise Printing Services, which plan and integrate the printer into enterprise solutions such as applications from Oracle, SAP, and IBM.

**Software Solutions**

Zebra provides many software solutions to integrate the printer into your customer's environment. Consider one of the following customized software solutions:

- ZebraLink™ Multiplatform SDK
- Driver Customization
- Alternate Programming Languages
- ZBI Development
- Custom Software Applications

**Implementation and Deployment**

Development Services will also implement and deploy tools such as:

- Font Kit Creation
- Wireless Mark-Up Language (WML) - Custom display content
- Mirror - Auto-updating printers

*Note: Development Services require a custom quote based on requirements.*

Part Number	Description	List Price
Custom	Development Services - Hourly Rate	295

To inquire about a Development Services opportunity or to get a quote, please contact your Zebra account representative.

**NOTE:**

All capabilities not available on all Zebra printers. Check with your Zebra account representative for more details.

For additional information on Zebra's Professional Services capabilities, please visit AccessZebra site at  
[https://private.zebra.com/reseller/services/professional\\_services.php](https://private.zebra.com/reseller/services/professional_services.php)



## **RFID Product Price List**

### Professional Services

#### **Zebra Professional Services - Continued**

##### **Field Services:**

Have you ever been asked to assist in installing a wireless network? Have customers asked you to perform a site survey or asked for technical assistance to fix a wireless network issue? If you don't have this expertise, then Zebra's Field Services can help. Zebra has a number of Field Services offerings to meet your customers' needs:

- Wireless Site Surveys
- Wireless & Hardware Installations
- Wireless Troubleshooting
- Staging
- Integration
- Rollouts

*Note: Field Services require a custom quote based on the State of Work for each service.*

Part Number	Description	List Price
Custom Part #	Wireless Site Survey (Per Day)	Custom
Custom Part #	Wireless & Hardware Installations (Per Day)	Custom
Custom Part #	Wireless Troubleshooting (Per Day)	Custom
Custom Part #	Staging	Custom
Custom Part #	Integration	Custom
Custom Part #	Rollouts	Custom

To inquire about a Field Services opportunity or to get a quote, please contact your Zebra account representative.

For additional information on Zebra's Professional Services capabilities, please visit AccessZebra site at  
[https://private.zebra.com/reseller/services/professional\\_services.php](https://private.zebra.com/reseller/services/professional_services.php)

Zebra Technologies International, LLC  
475 Half Day Road  
Lincolnshire, IL 60069

**Zebra Professional Services - Continued****Technical Services:****Technical Support Agreements**

Are you looking for assistance with your Enterprise Connector solution? Then purchase one of our technical support agreements to receive specialized technical assistance.

Our Technical support group consists of a team of technical professionals that are trained and certified to provide exceptional technical support on the Zebra Enterprise Connector solution. By working with Zebra Technical Support you get personalized Enterprise Connector support from professionals who are trained and certified to provide support for your unique solution.

<b>Technical Support Agreements - Enterprise Connector</b> <i>(Offered only on ZPL printer models)</i>		
<b>Part Number</b>	<b>Description</b>	<b>List Price</b>
ZEC-SUP1-100	Enterprise Connector – 1 YR. Technical Support Agreement – 24x7	3360
ZEC-SUP2-100	Enterprise Connector – 1 YR. Technical Support Agreement – 24x5	2880
ZEC-SUP3-100	Enterprise Connector – 1 YR. Technical Support Agreement – 8x5	2400

Each Technical Support Agreement includes support on:

- Enterprise Connector - The server based solution that can be deployed to any J2EE container. Data is handled as CVS or ZPL input and allows for easy implementation of custom designs and ZPL delivery to any Zebra printer.
- Zebra Designer for XML - The ability to create ZPL label formats in GUI environment.
- ZebraNet Bridge Enterprise - Zebra printer management tools for setting alerts, audits and configurations.
- 2 hours setup assistance
- 2 hours remote training
- 1 free label conversion

**Technical / Repair Training**

Are you looking for technical training? Take advantage of Zebra's experience in operations, applications, maintenance, and technical support with a comprehensive Zebra training program. Zebra can deliver training at either a Zebra office or on your own premises.

If you are interested in learning more, please visit the web link below for a detailed class curriculum.

[http://www.zebra.com/id/zebra/na/en/index/service\\_support/options/technical\\_training.html](http://www.zebra.com/id/zebra/na/en/index/service_support/options/technical_training.html)

To inquire about a Technical Services opportunity or to get a quote, please contact your Zebra account representative.

For additional information on Zebra's Professional Services capabilities, please visit AccessZebra site at  
[https://private.zebra.com/reseller/services/professional\\_services.php](https://private.zebra.com/reseller/services/professional_services.php)